

# Reference list

---

## HiLoad

Superdex 200 prep grade

# References

Listed numerically by reference number

1. Willuda, J., et al., *Tumor targeting of mono-, di-, and tetravalent anti-p185(HER-2) miniantibodies multimerized by self-associating peptides*. J Biol Chem, 2001. 276(17): p. 14385-92.
2. Weston, C.J., S.A. White, and J.B. Jackson, *The unusual transhydrogenase of Entamoeba histolytica*. FEBS Lett, 2001. 488(1-2): p. 51-4.
3. Versees, W., et al., *Structure and Function of a Novel Purine Specific Nucleoside Hydrolase from Trypanosoma vivax*. J Mol Biol, 2001. 307(5): p. 1363-79.
4. Vergis, J.M., et al., *Human 5-Aminoimidazole-4-carboxamide Ribonucleotide Transformylase/Inosine 5'-Monophosphate Cyclohydrolase. A BIFUNCTIONAL PROTEIN REQUIRING DIMERIZATION FOR TRANSFORMYLASE ACTIVITY BUT NOT FOR CYCLOHYDROLASE ACTIVITY*. J Biol Chem, 2001. 276(11): p. 7727-33.
5. Seah, S.Y., et al., *Comparative specificities of two evolutionarily divergent hydrolases involved in microbial degradation of polychlorinated biphenyls*. J Bacteriol, 2001. 183(5): p. 1511-6.
6. Potrawfke, T., J. Armengaud, and R.M. Wittich, *Chlorocatechols Substituted at Positions 4 and 5 Are Substrates of the Broad-Spectrum Chlorocatechol 1,2-Dioxygenase of Pseudomonas chlororaphis RW71*. J Bacteriol, 2001. 183(3): p. 997-1011.
7. MacHeroux, P., et al., *L-amino-acid oxidase from the Malayan pit viper Calloselasma rhodostoma. Comparative sequence analysis and characterization of active and inactive forms of the enzyme*. Eur J Biochem, 2001. 268(6): p. 1679-86.
8. MacHeroux, P., et al., *L-Amino-acid oxidase from the Malayan pit viper Calloselasma rhodostoma Comparative sequence analysis and characterization of active and inactive forms of the enzyme*. Eur J Biochem, 2001. 268(6): p. 1679-86.
9. Lavulo, L.T., et al., *Subunit-subunit interactions in trimeric arginase. Generation of active monomers by mutation of a single amino acid*. J Biol Chem, 2001. 276(17): p. 14242-8.
10. Hahn, F.M., et al., *1-Deoxy-D-xylulose 5-phosphate synthase, the gene product of open reading frame (ORF) 2816 and ORF 2895 in Rhodobacter capsulatus*. J Bacteriol, 2001. 183(1): p. 1-11.
11. Grizot, S., et al., *Small angle neutron scattering and gel filtration analyses of neutrophil NADPH oxidase cytosolic factors highlight the role of the C-terminal end of p47(phox) in the association with p40(phox)*. Biochemistry, 2001. 40(10): p. 3127-33.
12. Daugherty, M., et al., *Archaeal shikimate kinase, a new member of the GHMP-kinase family*. J Bacteriol, 2001. 183(1): p. 292-300.
13. Bjorgo, E., R.M. de Carvalho, and T. Flatmark, *A comparison of kinetic and regulatory properties of the tetrameric and dimeric forms of wild-type and Thr427->Pro mutant human phenylalanine hydroxylase: contribution of the flexible hinge region Asp425-Gln429 to the tetramerization and cooperative substrate binding*. Eur J Biochem, 2001. 268(4): p. 997-1005.
14. Ang, D., et al., *Pseudo-T-even Bacteriophage RB49 Encodes CocO, a Cochaperonin for GroEL, Which Can Substitute for Escherichia coli's GroES and Bacteriophage T4's Gp31*. J Biol Chem, 2001. 276(12): p. 8720-6.
15. Zgiby, S.M., et al., *Exploring substrate binding and discrimination in fructose1, 6-bisphosphate and tagatose 1,6-bisphosphate aldolases*. Eur J Biochem, 2000. 267(6): p. 1858-68.
16. Yokoyama, H., et al., *A novel activation mechanism of caspase-activated DNase from Drosophila melanogaster*. J Biol Chem, 2000. 275(17): p. 12978-86.
17. Wynn, R.M., J.L. Song, and D.T. Chuang, *GroEL/GroES promote dissociation/reassociation cycles of a heterodimeric intermediate during alpha(2)beta(2) protein assembly. Iterative annealing at the quaternary structure level*. J Biol Chem, 2000. 275(4): p. 2786-94.
18. Wynn, R.M., et al., *Tetrameric assembly and conservation in the ATP-binding domain of rat branched-chain alpha-ketoacid dehydrogenase kinase*. J Biol Chem, 2000. 275(39): p. 30512-9.
19. Wynn, R.M., et al., *Roles of Active-site and Novel K[super+]ion Binding-site Residues in Human Mitochondrial Branched-chain [alpha]-Ketoacid Decarboxylase/Dehydrogenase*. J Biol Chem, 2000. 7: p. 7.
20. White, E.L., et al., *The two toxoplasma gondii hypoxanthine-guanine phosphoribosyltransferase isozymes form heterotetramers*. J Biol Chem, 2000. 275(25): p. 19218-23.

21. Whitby, F.G., et al., *Structural basis for the activation of 20S proteasomes by 11S regulators*. Nature, 2000. 408(6808): p. 115-20.
22. Wessel, P.M., et al., *Evidence for two distinct effector-binding sites in threonine deaminase by site-directed mutagenesis, kinetic, and binding experiments*. Biochemistry, 2000. 39(49): p. 15136-43.
23. Vergis, J.M., et al., *Human AICAR transformylase/IMP cyclohydrolase: A bifunctional protein requiring dimerization for transformylase activity but not for cyclohydrolase activity*. J Biol Chem, 2000. 275(28): p. 28.
24. Ubbink-Kok, T., et al., *Stator structure and subunit composition of the V(1)/V(0) Na(+)-ATPase of the thermophilic bacterium Calorimicrobium fervidus*. J Mol Biol, 2000. 296(1): p. 311-21.
25. Tsuji, Y., et al., *Cryptic dimer interface and domain organization of the extracellular region of metabotropic glutamate receptor subtype 1*. J Biol Chem, 2000. 275(36): p. 28144-51.
26. Takada, S., et al., *Identification of ribonucleotide reductase protein R1 as an activator of microtubule nucleation in Xenopus egg mitotic extracts*. Mol Biol Cell, 2000. 11(12): p. 4173-87.
27. Swarbrick, A., et al., *Cooperation of p27(Kip1) and p18 (INK4c) in progesterin-mediated cell cycle arrest in T-47D breast cancer cells*. Mol Cell Biol, 2000. 20(7): p. 2581-91.
28. Steffensky, M., S.M. Li, and L. Heide, *Cloning, overexpression, and purification of novobiocin acid synthetase from Streptomyces spheroides NCIMB 11891*. J Biol Chem, 2000. 275(28): p. 21754-60.
29. Sieron, A.L., et al., *Structure and function of procollagen C-proteinase (mTolloid) domains determined by protease digestion, circular dichroism, binding to procollagen type I, and computer modeling*. Biochemistry, 2000. 39(12): p. 3231-9.
30. Shamshiev, A., et al., *The alphabeta T cell response to self-glycolipids shows a novel mechanism of CD1b loading and a requirement for complex oligosaccharides*. Immunity, 2000. 13(2): p. 255-64.
31. Schramm, A., et al., *Pyruvate kinase of the hyperthermophilic crenarchaeote Thermoproteus tenax: physiological role and phylogenetic aspects*. J Bacteriol, 2000. 182(7): p. 2001-9.
32. Reichard, P., et al., *Cross-talk between the allosteric effector-binding sites in mouse ribonucleotide reductase*. J Biol Chem, 2000. 275(42): p. 33021-6.
33. Piotrowski, M., S. Schonfelder, and E.W. Weiler, *The Arabidopsis thaliana isogene NIT4 and its orthologs in tobacco encode beta-cyano-L-alanine hydratase/nitrilase*. J Biol Chem, 2000. 275(1): p. 1.
34. Perry, J.M., Y. Zhao, and M.A. Marletta, *Cu<sup>2+</sup> and Zn<sup>2+</sup> inhibit nitric-oxide synthase through an interaction with the reductase domain*. J Biol Chem, 2000. 275(19): p. 14070-6.
35. Pabst, S., et al., *Selective interaction of complexin with the neuronal SNARE complex. Determination of the binding regions*. J Biol Chem, 2000. 275(26): p. 19808-18.
36. Otzen, D.E., O. Kristensen, and M. Oliveberg, *Designed protein tetramer zipped together with a hydrophobic Alzheimer homology: a structural clue to amyloid assembly*. Proc Natl Acad Sci U S A, 2000. 97(18): p. 9907-12.
37. Oki, M. and T. Nishimoto, *Yrb1p interaction with the gsp1p C terminus blocks Mog1p stimulation of GTP release from Gsp1p*. J Biol Chem, 2000. 275(42): p. 32894-900.
38. Norman, R.A., et al., *Steric hindrance regulation of the Pseudomonas aeruginosa amidase operon*. J Biol Chem, 2000. 275(39): p. 30660-7.
39. Mohamed, N.A., et al., *Enantioselective binding analysis of verapamil to plasma lipoproteins by capillary electrophoresis-frontal analysis*. J Chromatogr A, 2000. 875(1-2): p. 447-53.
40. Mikhailov, M.V. and S.J. Ashcroft, *Interactions of the sulfonylurea receptor 1 subunit in the molecular assembly of beta-cell K(ATP) channels*. J Biol Chem, 2000. 275(5): p. 3360-4.
41. Matsui, I., et al., *The molecular structure of hyperthermostable aromatic aminotransferase with novel substrate specificity from Pyrococcus horikoshii*. J Biol Chem, 2000. 275(7): p. 4871-9.
42. Marot-Leblond, A., et al., *New monoclonal antibody specific for Candida albicans germ tube*. J Clin Microbiol, 2000. 38(1): p. 61-7.
43. Manjarrez-Hernandez, H.A., et al., *Antigen detection in enteropathogenic Escherichia coli using secretory immunoglobulin A antibodies isolated from human breast milk*. Infect Immun, 2000. 68(9): p. 5030-6.
44. Liu, L., et al., *The viral anti-inflammatory chemokine-binding protein M-T7 reduces intimal hyperplasia after vascular injury*. J Clin Invest, 2000. 105(11): p. 1613-21.
45. Li, H. and J. Abelson, *Crystal structure of a dimeric archaeal splicing endonuclease*. J Mol Biol, 2000. 302(3): p. 639-48.
46. Li, T., et al., *Possible release of an ArgGlyArgProGln pentapeptide with innate immunity properties from acidic proline-rich proteins by proteolytic activity in commensal streptococcus and actinomyces species*. Infect Immun, 2000. 68(9): p. 5425-9.

47. Leonhartsberger, S., A. Ehrenreich, and A. Bock, *Analysis of the domain structure and the DNA binding site of the transcriptional activator FhlA*. Eur J Biochem, 2000. 267(12): p. 3672-84.
48. Kurz, A.K., et al., *Phosphoinositide 3-kinase-dependent Ras activation by tauroursodesoxycholate in rat liver*. Biochem J, 2000. 350(3): p. 207-13.
49. Kochhar, S., et al., *Roles of his205, his296, his303 and Asp259 in catalysis by NAD<sup>+</sup>-specific D-lactate dehydrogenase*. Eur J Biochem, 2000. 267(6): p. 1633-9.
50. Jonsson, A.P., et al., *A novel Ser O-glucuronidation in acidic proline-rich proteins identified by tandem mass spectrometry*. FEBS Lett, 2000. 475(2): p. 131-4.
51. Ishige, K. and T. Noguchi, *Inorganic polyphosphate kinase and adenylate kinase participate in the polyphosphate:AMP phosphotransferase activity of Escherichia coli*. Proc Natl Acad Sci U S A, 2000. 97(26): p. 14168-71.
52. Ideno, A., et al., *The 28.3 kDa FK506 binding protein from a thermophilic archaeum, Methanobacterium thermoautotrophicum, protects the denaturation of proteins in vitro*. Eur J Biochem, 2000. 267(11): p. 3139-49.
53. Hou, S., et al., *Myoglobin-like aerotaxis transducers in Archaea and Bacteria*. Nature, 2000. 403(6769): p. 540-4.
54. Hoenger, A., et al., *A new look at the microtubule binding patterns of dimeric kinesins*. J Mol Biol, 2000. 297(5): p. 1087-103.
55. Grolle, S., S. Bringer-Meyer, and H. Sahm, *Isolation of the dxr gene of Zymomonas mobilis and characterization of the 1-deoxy-D-xylulose 5-phosphate reductoisomerase*. FEMS Microbiol Lett, 2000. 191(1): p. 131-7.
56. Graumann, K. and A. Jungbauer, *Quantitative assessment of complex formation of nuclear-receptor accessory proteins*. Biochem J, 2000. 345(3): p. 627-36.
57. Gibbons, C., et al., *The structure of the central stalk in bovine F(1)-ATPase at 2.4 Å resolution*. Nat Struct Biol, 2000. 7(11): p. 1055-61.
58. Gamez, A., et al., *Expression analysis of phenylketonuria mutations. Effect on folding and stability of the phenylalanine hydroxylase protein*. J Biol Chem, 2000. 275(38): p. 29737-42.
59. Erlandsen, H., et al., *Crystal structure and site-specific mutagenesis of pterin-bound human phenylalanine hydroxylase*. Biochemistry, 2000. 39(9): p. 2208-17.
60. de Haas, C.J., et al., *Serum amyloid P component bound to gram-negative bacteria prevents lipopolysaccharide-mediated classical pathway complement activation*. Infect Immun, 2000. 68(4): p. 1753-9.
61. de Haas, C.J., et al., *Serum amyloid P component prevents high-density lipoprotein-mediated neutralization of lipopolysaccharide*. Infect Immun, 2000. 68(9): p. 4954-60.
62. Cabezon, E., et al., *Dimerization of bovine F1-ATPase by binding the inhibitor protein, IF1*. J Biol Chem, 2000. 275(37): p. 28353-5.
63. Brix, J., et al., *The mitochondrial import receptor Tom70: identification of a 25 kDa core domain with a specific binding site for preproteins*. J Mol Biol, 2000. 303(4): p. 479-88.
64. Berg, H., et al., *Biosynthesis of the cyanobacterial reserve polymer multi-L-arginyl-poly-L-aspartic acid (cyanophycin): mechanism of the cyanophycin synthetase reaction studied with synthetic primers*. Eur J Biochem, 2000. 267(17): p. 5561-70.
65. Al-Soud, W.A., L.J. Jonsson, and P. Radstrom, *Identification and characterization of immunoglobulin G in blood as a major inhibitor of diagnostic PCR*. J Clin Microbiol, 2000. 38(1): p. 345-50.
66. Zhang, Z., et al., *Proteasome activator 11S REG or PA28: recombinant REG alpha/REG beta hetero-oligomers are heptamers*. Biochemistry, 1999. 38(17): p. 5651-8.
67. Xavier, K.B., et al., *Maltose metabolism in the hyperthermophilic archaeon Thermococcus litoralis: purification and characterization of key enzymes*. J Bacteriol, 1999. 181(11): p. 3358-67.
68. Vornlocher, H.P., et al., *A 110-kilodalton subunit of translation initiation factor eIF3 and an associated 135-kilodalton protein are encoded by the Saccharomyces cerevisiae TIF32 and TIF31 genes*. J Biol Chem, 1999. 274(24): p. 16802-12.
69. Teng, H. and C. Grubmeyer, *Mutagenesis of histidinol dehydrogenase reveals roles for conserved histidine residues*. Biochemistry, 1999. 38(22): p. 7363-71.
70. Sono, M., et al., *Essential thiol requirement to restore pterin- or substrate-binding capability and to regenerate native enzyme-type high-spin heme spectra in the Escherichia coli-expressed tetrahydrobiopterin-free oxygenase domain of neuronal nitric oxide synthase*. Biochemistry, 1999. 38(48): p. 15853-62.
71. Rhee, S.K. and G. Fuchs, *Phenylacetyl-CoA:acceptor oxidoreductase, a membrane-bound molybdenum-iron-sulfur enzyme involved in anaerobic metabolism of phenylalanine in the denitrifying bacterium Thauera aromatica*. Eur J Biochem, 1999. 262(2): p. 507-15.
72. Pierik, A.J., et al., *Carbon monoxide and cyanide as intrinsic ligands to iron in the active site of [NiFe]-hydrogenases. NiFe(CN)2CO, Biology's way to activate H2*. J Biol Chem, 1999. 274(6): p. 3331-7.

73. Perrett, S., et al., *Equilibrium folding properties of the yeast prion protein determinant Ure2*. J Mol Biol, 1999. 290(1): p. 331-45.
74. Pajatsch, M., et al., *Properties of a cyclodextrin-specific, unusual porin from Klebsiella oxytoca*. J Biol Chem, 1999. 274(35): p. 25159-66.
75. Ohtani, N., et al., *Identification of the genes encoding Mn<sup>2+</sup>-dependent RNase HII and Mg<sup>2+</sup>-dependent RNase HIII from Bacillus subtilis: classification of RNases H into three families*. Biochemistry, 1999. 38(2): p. 605-18.
76. Musfeldt, M., M. Selig, and P. Schonheit, *Acetyl coenzyme A synthetase (ADP forming) from the hyperthermophilic Archaeon pyrococcus furiosus: identification, cloning, separate expression of the encoding genes, acdAI and acdBI, in Escherichia coli, and in vitro reconstitution of the active heterotetrameric enzyme from its recombinant subunits*. J Bacteriol, 1999. 181(18): p. 5885-8.
77. Mossner, E., et al., *Importance of redox potential for the in vivo function of the cytoplasmic disulfide reductant thioredoxin from Escherichia coli*. J Biol Chem, 1999. 274(36): p. 25254-9.
78. Moser, J., et al., *Methanopyrus kandleri glutamyl-tRNA reductase*. J Biol Chem, 1999. 274(43): p. 30679-85.
79. Miyatake, H., et al., *Iron coordination structures of oxygen sensor FixL characterized by Fe K-edge extended x-ray absorption fine structure and resonance raman spectroscopy*. J Biol Chem, 1999. 274(33): p. 23176-84.
80. Meta, A., et al., *Inhibition of M-tropic HIV-1 infection by the fd phage-gene 3 protein with MIP-1alpha-binding activity*. Mol Immunol, 1999. 36(18): p. 1249-54.
81. Meier, T.I., et al., *16S rRNA is bound to era of Streptococcus pneumoniae*. J Bacteriol, 1999. 181(17): p. 5242-9.
82. Matsui, E., et al., *Thermostable flap endonuclease from the archaeon, Pyrococcus horikoshii, cleaves the replication fork-like structure endolexonucleolytically*. J Biol Chem, 1999. 274(26): p. 18297-309.
83. Link, C., et al., *Selection of phage-displayed anti-guinea pig C5 or C5a antibodies and their application in xenotransplantation*. Mol Immunol, 1999. 36(18): p. 1235-47.
84. Liao, M., Z. Zhou, and E.M. Wilson, *Redox-dependent DNA binding of the purified androgen receptor: evidence for disulfide-linked androgen receptor dimers*. Biochemistry, 1999. 38(30): p. 9718-27.
85. Li, T., et al., *Strains of Actinomyces naeslundii and Actinomyces viscosus exhibit structurally variant fimbrial subunit proteins and bind to different peptide motifs in salivary proteins*. Infect Immun, 1999. 67(5): p. 2053-9.
86. Kitamoto, N., et al., *Sequence analysis, overexpression, and antisense inhibition of a beta-xylosidase gene, xylA, from Aspergillus oryzae KBN616*. Appl Environ Microbiol, 1999. 65(1): p. 20-4.
87. Hurshman, A.R., et al., *Formation of a pterin radical in the reaction of the heme domain of inducible nitric oxide synthase with oxygen*. Biochemistry, 1999. 38(48): p. 15689-96.
88. Hofmann, M.W., et al., *The leucine-based sorting motifs in the cytoplasmic domain of the invariant chain are recognized by the clathrin adaptors AP1 and AP2 and their medium chains*. J Biol Chem, 1999. 274(51): p. 36153-8.
89. Hinderer, W., et al., *Serodiagnosis of Epstein-Barr virus infection by using recombinant viral capsid antigen fragments and autologous gene fusion*. J Clin Microbiol, 1999. 37(10): p. 3239-44.
90. Heroux, A., et al., *Crystal structure of Toxoplasma gondii hypoxanthine-guanine phosphoribosyltransferase with XMP, pyrophosphate, and two Mg(2+) ions bound: insights into the catalytic mechanism*. Biochemistry, 1999. 38(44): p. 14495-506.
91. Han, S.K., et al., *Roles of Trp31 in high membrane binding and proinflammatory activity of human group V phospholipase A2*. J Biol Chem, 1999. 274(17): p. 11881-8.
92. Hallmann, A., *Enzymes in the extracellular matrix of Volvox: an inducible, calcium-dependent phosphatase with a modular composition*. J Biol Chem, 1999. 274(3): p. 1691-7.
93. Gatti, J.L., et al., *A 105- to 94-kilodalton protein in the epididymal fluids of domestic mammals is angiotensin I-converting enzyme (ACE); evidence that sperm are the source of this ACE*. Biol Reprod, 1999. 60(4): p. 937-45.
94. Fu, T.J., et al., *Cyclin K functions as a CDK9 regulatory subunit and participates in RNA polymerase II transcription*. J Biol Chem, 1999. 274(49): p. 34527-30.
95. Fridjonsson, O., et al., *Thermostable alpha-galactosidase from Bacillus stearothermophilus NUB3621: cloning, sequencing and characterization*. FEMS Microbiol Lett, 1999. 176(1): p. 147-53.
96. Eriksson, M., et al., *Evidence for 4-hydroxyproline in viral proteins. Characterization of a viral prolyl 4-hydroxylase and its peptide substrates*. J Biol Chem, 1999. 274(32): p. 22131-4.
97. Darcy, T.J., et al., *Methanobacterium thermoautotrophicum RNA polymerase and transcription in vitro*. J Bacteriol, 1999. 181(14): p. 4424-9.
98. Clarke, T.A., F.K. Yousafzai, and R.R. Eady, *Klebsiella pneumoniae nitrogenase: formation and stability of putative beryllium fluoride-ADP transition state complexes*. Biochemistry, 1999. 38(31): p. 9906-13.

99. Chuang, J.L., et al., *GroEL/GroES-dependent reconstitution of alpha2 beta2 tetramers of human mitochondrial branched chain alpha-ketoacid decarboxylase. Obligatory interaction of chaperonins with an alpha beta dimeric intermediate.* J Biol Chem, 1999. 274(15): p. 10395-404.
100. Choudhury, S.B., et al., *Examination of the nickel site structure and reaction mechanism in Streptomyces seoulensis superoxide dismutase.* Biochemistry, 1999. 38(12): p. 3744-52.
101. Chittock, R.S., et al., *Hydrogen bonding and protein perturbation in beta-lactam acyl-enzymes of Streptococcus pneumoniae penicillin-binding protein PBP2x.* Biochem J, 1999. 338(1): p. 153-9.
102. Bourne, Y., et al., *Conformational flexibility of the acetylcholinesterase tetramer suggested by x-ray crystallography.* J Biol Chem, 1999. 274(43): p. 30370-6.
103. Bock, A.K., et al., *Purification and characterization of two extremely thermostable enzymes, phosphate acetyltransferase and acetate kinase, from the hyperthermophilic eubacterium Thermotoga maritima.* J Bacteriol, 1999. 181(6): p. 1861-7.
104. Bharadwaj, G. and R. Maheshwari, *A comparison of thermal characteristics and kinetic parameters of trehalases from a thermophilic and a mesophilic fungus.* FEMS Microbiol Lett, 1999. 181(1): p. 187-93.
105. Bachmann, C., et al., *The EVH2 domain of the vasodilator-stimulated phosphoprotein mediates tetramerization, F-actin binding, and actin bundle formation.* J Biol Chem, 1999. 274(33): p. 23549-57.
106. Arand, M., et al., *Cloning and molecular characterization of a soluble epoxide hydrolase from Aspergillus niger that is related to mammalian microsomal epoxide hydrolase.* Biochem J, 1999. 344(1): p. 273-80.
107. Apfel, C.M., et al., *Use of genomics to identify bacterial undecaprenyl pyrophosphate synthetase: cloning, expression, and characterization of the essential uppS gene.* J Bacteriol, 1999. 181(2): p. 483-92.
108. Ando, S., et al., *Thermostable aminopeptidase from Pyrococcus horikoshii.* FEBS Lett, 1999. 447(1): p. 25-8.
109. Zhao, Y., et al., *Identification of histidine 105 in the beta1 subunit of soluble guanylate cyclase as the heme proximal ligand.* Biochemistry, 1998. 37(13): p. 4502-9.
110. Zhang, Z., A. Clawson, and M. Rechsteiner, *The proteasome activator 11 S regulator or PA28. Contribution By both alpha and beta subunits to proteasome activation.* J Biol Chem, 1998. 273(46): p. 30660-8.
111. Zhang, Z., et al., *Identification of an activation region in the proteasome activator REGalpha.* Proc Natl Acad Sci U S A, 1998. 95(6): p. 2807-11.
112. Zerbe-Burkhardt, K., et al., *Cloning, sequencing, expression, and insertional inactivation of the gene for the large subunit of the coenzyme B12-dependent isobutyryl-CoA mutase from Streptomyces cinnamomensis.* J Biol Chem, 1998. 273(11): p. 6508-17.
113. Xu, Y. and C. Grubmeyer, *Catalysis in human hypoxanthine-guanine phosphoribosyltransferase: Asp 137 acts as a general acid/base.* Biochemistry, 1998. 37(12): p. 4114-24.
114. van den Berg, R.H., et al., *Inhibition of activation of the classical pathway of complement by human neutrophil defensins.* Blood, 1998. 92(10): p. 3898-903.
115. Vales-Gomez, M., et al., *Kinetics of interaction of HLA-C ligands with natural killer cell inhibitory receptors.* Immunity, 1998. 9(3): p. 337-44.
116. Vaillancourt, F.H., et al., *Molecular basis for the stabilization and inhibition of 2, 3-dihydroxybiphenyl 1,2-dioxygenase by t-butanol.* J Biol Chem, 1998. 273(52): p. 34887-95.
117. Tokimatsu, T., et al., *Purification and characteristics of a novel cytochrome c dependent glyoxylate dehydrogenase from a wood-destroying fungus Tyromyces palustris.* FEBS Lett, 1998. 437(1-2): p. 117-21.
118. Thormahlen, M., et al., *Interaction of monomeric and dimeric kinesin with microtubules.* J Mol Biol, 1998. 275(5): p. 795-809.
119. Stoffler, H.E. and M. Bahler, *The ATPase activity of Myr3, a rat myosin I, is allosterically inhibited by its own tail domain and by Ca2+ binding to its light chain calmodulin.* J Biol Chem, 1998. 273(23): p. 14605-11.
120. Siebers, B., H.P. Klenk, and R. Hensel, *PPi-dependent phosphofructokinase from Thermoproteus tenax, an archaeal descendant of an ancient line in phosphofructokinase evolution.* J Bacteriol, 1998. 180(8): p. 2137-43.
121. Seah, S.Y., et al., *Purification and preliminary characterization of a serine hydrolase involved in the microbial degradation of polychlorinated biphenyls.* J Biol Chem, 1998. 273(36): p. 22943-9.
122. Schou, C., M.H. Christensen, and M. Schulein, *Characterization of a cellobiose dehydrogenase from Humicola insolens.* Biochem J, 1998. 330(1): p. 565-71.
123. Sali, D.L., et al., *Serine protease of hepatitis C virus expressed in insect cells as the NS3/4A complex.* Biochemistry, 1998. 37(10): p. 3392-401.
124. Reppe, S., et al., *Retinol-induced secretion of human retinol-binding protein in yeast.* FEBS Lett, 1998. 427(2): p. 213-9.
125. Prall, O.W., et al., *c-Myc or cyclin D1 mimics estrogen effects on cyclin E-Cdk2 activation and cell cycle reentry.* Mol Cell Biol, 1998. 18(8): p. 4499-508.

126. Pinz, K.G. and D.F. Bogenhagen, *Efficient repair of abasic sites in DNA by mitochondrial enzymes*. Mol Cell Biol, 1998. 18(3): p. 1257-65.
127. Petrovan, R.J., et al., *Autocatalytic peptide bond cleavages in prothrombin and meizothrombin*. Biochemistry, 1998. 37(5): p. 1185-91.
128. Perry, J.M. and M.A. Marletta, *Effects of transition metals on nitric oxide synthase catalysis*. Proc Natl Acad Sci U S A, 1998. 95(19): p. 11101-6.
129. Okamoto, T., et al., *Expression and purification of the extracellular ligand binding region of metabotropic glutamate receptor subtype 1*. J Biol Chem, 1998. 273(21): p. 13089-96.
130. Ohnishi, M., T. Hayashi, and Y. Terawaki, *Purification and characterization of procytotoxin of Pseudomonas aeruginosa. Dimer to monomer conversion of protoxin by proteolytic activation*. J Biol Chem, 1998. 273(1): p. 453-8.
131. Nakayama, Y., M. Hayashi, and T. Unemoto, *Identification of six subunits constituting Na<sup>+</sup>-translocating NADH-quinone reductase from the marine Vibrio alginolyticus*. FEBS Lett, 1998. 422(2): p. 240-2.
132. Nakamura, S., et al., *Requirement of GM2 ganglioside activator for phospholipase D activation*. Proc Natl Acad Sci U S A, 1998. 95(21): p. 12249-53.
133. Musgrove, E.A., et al., *Mechanisms of cyclin-dependent kinase inactivation by progesterins*. Mol Cell Biol, 1998. 18(4): p. 1812-25.
134. Liu, J.Q., et al., *Gene cloning, nucleotide sequencing, and purification and characterization of the low-specificity L-threonine aldolase from Pseudomonas sp. strain NCIMB 10558*. Appl Environ Microbiol, 1998. 64(2): p. 549-54.
135. Liu, J.Q., et al., *A novel metal-activated pyridoxal enzyme with a unique primary structure, low specificity D-threonine aldolase from Arthrobacter sp. Strain DK-38. Molecular cloning and cofactor characterization*. J Biol Chem, 1998. 273(27): p. 16678-85.
136. Lichtenbergova, L., E.T. Yoon, and W. Cho, *Membrane penetration of cytosolic phospholipase A2 is necessary for its interfacial catalysis and arachidonate specificity*. Biochemistry, 1998. 37(40): p. 14128-36.
137. Konig, S., G. Beterams, and M. Nassal, *Mapping of homologous interaction sites in the hepatitis B virus core protein*. J Virol, 1998. 72(6): p. 4997-5005.
138. Ishikawa, K., et al., *Acylamino acid-releasing enzyme from the thermophilic archaeon Pyrococcus horikoshii*. J Biol Chem, 1998. 273(28): p. 17726-31.
139. Ishida, A., I. Kameshita, and H. Fujisawa, *A novel protein phosphatase that dephosphorylates and regulates Ca<sup>2+</sup>/calmodulin-dependent protein kinase II*. J Biol Chem, 1998. 273(4): p. 1904-10.
140. Hoenger, A., et al., *Image reconstructions of microtubules decorated with monomeric and dimeric kinesins: comparison with x-ray structure and implications for motility*. J Cell Biol, 1998. 141(2): p. 419-30.
141. Hicks, P.M., et al., *Homomultimeric protease in the hyperthermophilic bacterium Thermotoga maritima has structural and amino acid sequence homology to bacteriocins in mesophilic bacteria*. FEBS Lett, 1998. 440(3): p. 393-8.
142. Haruki, M., et al., *Gene cloning and characterization of recombinant RNase HII from a hyperthermophilic archaeon*. J Bacteriol, 1998. 180(23): p. 6207-14.
143. Hallberg, K., et al., *Actinomyces naeslundii displays variant fimP and fimA fimbrial subunit genes corresponding to different types of acidic proline-rich protein and beta-linked galactosamine binding specificity*. Infect Immun, 1998. 66(9): p. 4403-10.
144. Grobler, J.A. and J.H. Hurley, *Catalysis by phospholipase C delta1 requires that Ca<sup>2+</sup> bind to the catalytic domain, but not the C2 domain*. Biochemistry, 1998. 37(14): p. 5020-8.
145. Gerber, A., et al., *Tad1p, a yeast tRNA-specific adenosine deaminase, is related to the mammalian pre-mRNA editing enzymes ADAR1 and ADAR2*. Embo J, 1998. 17(16): p. 4780-9.
146. Friesen, R.H., et al., *Interfacial communications in recombinant rabbit kidney pyruvate kinase*. Biochemistry, 1998. 37(9): p. 2949-60.
147. Friedman, A.L., et al., *Kinetic characterization of myosin head fragments with long-lived myosin.ATP states*. Biochemistry, 1998. 37(27): p. 9679-87.
148. Fasshauer, D., et al., *Identification of a minimal core of the synaptic SNARE complex sufficient for reversible assembly and disassembly*. Biochemistry, 1998. 37(29): p. 10354-62.
149. Eulberg, D., et al., *Characterization of a protocatechuate catabolic gene cluster from Rhodococcus opacus 1CP: evidence for a merged enzyme with 4-carboxymuconolactone-decarboxylating and 3-oxoadipate enol-lactone-hydrolyzing activity*. J Bacteriol, 1998. 180(5): p. 1072-81.
150. Eulberg, D., et al., *Evolutionary relationship between chlorocatechol catabolic enzymes from Rhodococcus opacus 1CP and their counterparts in proteobacteria: sequence divergence and functional convergence*. J Bacteriol, 1998. 180(5): p. 1082-94.
151. Eckelt, V.H., et al., *Primary sequence and activity analyses of a catalase from Ascaris suum*. Mol Biochem Parasitol, 1998. 95(2): p. 203-14.
152. Chehin, R., et al., *Domain structure and stability of human phenylalanine hydroxylase inferred from infrared spectroscopy*. FEBS Lett, 1998. 422(2): p. 225-30.

153. Capeillere-Blandin, C., *Oxidation of guaiacol by myeloperoxidase: a two-electron-oxidized guaiacol transient species as a mediator of NADPH oxidation*. *Biochem J*, 1998. 336(2): p. 395-404.
154. Besmer, E., et al., *Hairpin coding end opening is mediated by RAG1 and RAG2 proteins*. *Mol Cell*, 1998. 2(6): p. 817-28.
155. Achterholt, S., H. Priefert, and A. Steinbuchel, *Purification and characterization of the coniferyl aldehyde dehydrogenase from Pseudomonas sp. Strain HR199 and molecular characterization of the gene*. *J Bacteriol*, 1998. 180(17): p. 4387-91.
156. Zhao, Y. and M.A. Marletta, *Localization of the heme binding region in soluble guanylate cyclase*. *Biochemistry*, 1997. 36(50): p. 15959-64.
157. Yew, P.R. and M.W. Kirschner, *Proteolysis and DNA Replication: The CDC34 Requirement in the Xenopus Egg Cell Cycle*. *Science*, 1997. 277(5332): p. 1672-82.
158. Xu, Y., et al., *Kinetic mechanism of human hypoxanthine-guanine phosphoribosyltransferase: rapid phosphoribosyl transfer chemistry*. *Biochemistry*, 1997. 36(12): p. 3700-12.
159. Takayama, T.K., K. Fujikawa, and E.W. Davie, *Characterization of the precursor of prostate-specific antigen. Activation by trypsin and by human glandular kallikrein*. *J Biol Chem*, 1997. 272(34): p. 21582-8.
160. Shiba, K., et al., *Human lysyl-tRNA synthetase accepts nucleotide 73 variants and rescues Escherichia coli double-defective mutant*. *J Biol Chem*, 1997. 272(36): p. 22809-16.
161. Sanchez, L.M., C. Lopez-Otin, and P.J. Bjorkman, *Biochemical characterization and crystalization of human Zn-alpha2-glycoprotein, a soluble class I major histocompatibility complex homolog*. *Proc Natl Acad Sci U S A*, 1997. 94(9): p. 4626-30.
162. Sack, S., et al., *X-ray structure of motor and neck domains from rat brain kinesin*. *Biochemistry*, 1997. 36(51): p. 16155-65.
163. Mason, S.W., E.E. Sander, and I. Grummt, *Identification of a transcript release activity acting on ternary transcription complexes containing murine RNA polymerase I*. *Embo J*, 1997. 16(1): p. 163-72.
164. Kozielski, F., et al., *The crystal structure of dimeric kinesin and implications for microtubule-dependent motility*. *Cell*, 1997. 91(7): p. 985-94.
165. Kang, F., et al., *Profilin interacts with the Gly-Pro-Pro-Pro-Pro-Pro sequences of vasodilator-stimulated phosphoprotein (VASP): implications for actin-based Listeria motility*. *Biochemistry*, 1997. 36(27): p. 8384-92.
166. Ishikawa, M., et al., *Reconstitution, morphology and crystallization of a fatty acid beta-oxidation multienzyme complex from Pseudomonas fragi*. *Biochem J*, 1997. 328(3): p. 815-20.
167. Grigg, M.E., et al., *Purification and properties of monomeric (G1) forms of acetylcholinesterase secreted by Nippostrongylus brasiliensis*. *Mol Biochem Parasitol*, 1997. 90(2): p. 513-24.
168. Gonen, H., et al., *On the involvement of calpains in the degradation of the tumor suppressor protein p53*. *FEBS Lett*, 1997. 406(1-2): p. 17-22.
169. Fukuoh, A., et al., *ATP-dependent resolution of R-loops at the ColE1 replication origin by Escherichia coli RecG protein, a Holliday junction-specific helicase*. *Embo J*, 1997. 16(1): p. 203-9.
170. Fertala, A., et al., *Collagen II containing a Cys substitution for arg-alpha1-519. Homotrimeric monomers containing the mutation do not assemble into fibrils but alter the self-assembly of the normal protein*. *J Biol Chem*, 1997. 272(10): p. 6457-64.
171. Dumas, R., V. Biou, and R. Douce, *Purification and characterization of a fusion protein of plant acetohydroxy acid synthase and acetohydroxy acid isomeroreductase*. *FEBS Lett*, 1997. 408(2): p. 156-60.
172. Zapf, J.W., J.A. Hoch, and J.M. Whiteley, *A phosphotransferase activity of the Bacillus subtilis sporulation protein Spo0F that employs phosphoramidate substrates*. *Biochemistry*, 1996. 35(9): p. 2926-33.
173. Wu-Baer, F., W.S. Lane, and R.B. Gaynor, *Identification of a group of cellular cofactors that stimulate the binding of RNA polymerase II and TRP-185 to human immunodeficiency virus 1 TAR RNA*. *J Biol Chem*, 1996. 271(8): p. 4201-8.
174. Witter, D.J. and C.D. Poulter, *Yeast geranylgeranyltransferase type-II: steady state kinetic studies of the recombinant enzyme*. *Biochemistry*, 1996. 35(32): p. 10454-63.
175. Wangsgard, W.P., et al., *Activation and inhibition of phosphorylase kinase by monospecific antibodies raised against peptides from the regulatory domain of the gamma-subunit*. *J Biol Chem*, 1996. 271(35): p. 21126-33.
176. Tamoi, M., et al., *Enzymic and molecular characterization of NADP-dependent glyceraldehyde-3-phosphate dehydrogenase from Synechococcus PCC 7942: resistance of the enzyme to hydrogen peroxide*. *Biochem J*, 1996. 316(2): p. 685-90.
177. Sakon, J., et al., *Crystal structure of thermostable family 5 endocellulase E1 from Acidothermus cellulolyticus in complex with cellotetraose*. *Biochemistry*, 1996. 35(33): p. 10648-60.




178. Parkin, D.W., *Purine-specific nucleoside N-ribohydrolase from Trypanosoma brucei brucei. Purification, specificity, and kinetic mechanism.* J Biol Chem, 1996. 271(36): p. 21713-9.
179. Niemann, G., H. von Besser, and R.D. Walter, *Panagrellus redivivus ornithine decarboxylase: structure of the gene, expression in Escherichia coli and characterization of the recombinant protein.* Biochem J, 1996. 317(1): p. 135-40.
180. Mutsuda, M., et al., *The catalase-peroxidase of Synechococcus PCC 7942: purification, nucleotide sequence analysis and expression in Escherichia coli.* Biochem J, 1996. 316(1): p. 251-7.
181. Moriguchi, T., et al., *Purification and identification of a major activator for p38 from osmotically shocked cells. Activation of mitogen-activated protein kinase kinase 6 by osmotic shock, tumor necrosis factor-alpha, and H2O2.* J Biol Chem, 1996. 271(43): p. 26981-8.
182. Mehlhorn, I., et al., *High-level expression and characterization of a purified 142-residue polypeptide of the prion protein.* Biochemistry, 1996. 35(17): p. 5528-37.
183. Maas, S., et al., *Structural requirements for RNA editing in glutamate receptor pre-mRNAs by recombinant double-stranded RNA adenosine deaminase.* J Biol Chem, 1996. 271(21): p. 12221-6.
184. Lu, J., R. Kobayashi, and S.J. Brill, *Characterization of a high mobility group 1/2 homolog in yeast.* J Biol Chem, 1996. 271(52): p. 33678-85.
185. Lopez-Camacho, C., et al., *Amino acid substitutions enhancing thermostability of Bacillus polymyxa beta-glucosidase A.* Biochem J, 1996. 314(3): p. 833-8.
186. Isakov, N., et al., *Purification and characterization of human ZAP-70 protein-tyrosine kinase from a baculovirus expression system.* J Biol Chem, 1996. 271(26): p. 15753-61.
187. Hawley, S.A., et al., *Characterization of the AMP-activated protein kinase kinase from rat liver and identification of threonine 172 as the major site at which it phosphorylates AMP-activated protein kinase.* J Biol Chem, 1996. 271(44): p. 27879-87.
188. den Blaauwen, T., et al., *Domain interactions of the peripheral preprotein Translocase subunit SecA.* Biochemistry, 1996. 35(37): p. 11994-2004.
189. Cheng, X., R.H. Friesen, and J.C. Lee, *Effects of conserved residues on the regulation of rabbit muscle pyruvate kinase.* J Biol Chem, 1996. 271(11): p. 6313-21.
190. Buxbaum, E. and P.G. Woodman, *Binding of ATP and ATP analogues to the uncoating ATPase Hsc70 (70 kDa heat-shock cognate protein).* Biochem J, 1996. 318(3): p. 923-9.
191. Bogenhagen, D.F., *Interaction of mtTFB and mtRNA polymerase at core promoters for transcription of Xenopus laevis mtDNA.* J Biol Chem, 1996. 271(20): p. 12036-41.
192. Bauer, M.W., et al., *Comparison of a beta-glucosidase and a beta-mannosidase from the hyperthermophilic archaeon Pyrococcus furiosus. Purification, characterization, gene cloning, and sequence analysis.* J Biol Chem, 1996. 271(39): p. 23749-55.
193. Tang, L., et al., *Heterologous expression and enzymatic properties of a selenium-independent glutathione peroxidase from the parasitic nematode Brugia pahangi.* J Biol Chem, 1995. 270(31): p. 18313-8.
194. Sobol, R.W., et al., *Inhibition of HIV-1 replication and activation of RNase L by phosphorothioate/phosphodiester 2',5'-oligoadenylate derivatives.* J Biol Chem, 1995. 270(11): p. 5963-78.
195. Rosche, B., et al., *2-Oxo-1,2-dihydroquinoline 8-monooxygenase, a two-component enzyme system from Pseudomonas putida 86.* J Biol Chem, 1995. 270(30): p. 17836-42.
196. Riedel, A., et al., *EPR, electron spin echo envelope modulation, and electron nuclear double resonance studies of the 2Fe2S centers of the 2-halobenzoate 1,2-dioxygenase from Burkholderia (Pseudomonas) cepacia 2CBS.* J Biol Chem, 1995. 270(52): p. 30869-73.
197. Pinz, K.G., S. Shibutani, and D.F. Bogenhagen, *Action of mitochondrial DNA polymerase gamma at sites of base loss or oxidative damage.* J Biol Chem, 1995. 270(16): p. 9202-6.
198. Orian, A., et al., *Ubiquitin-mediated processing of NF-kappa B transcriptional activator precursor p105. Reconstitution of a cell-free system and identification of the ubiquitin-carrier protein, E2, and a novel ubiquitin-protein ligase, E3, involved in conjugation.* J Biol Chem, 1995. 270(37): p. 21707-14.
199. Liessem, B., et al., *Photoaffinity labeling of human lysosomal beta-hexosaminidase B. Identification of Glu-355 at the substrate binding site.* J Biol Chem, 1995. 270(40): p. 23693-9.
200. Lehmann, M., et al., *Molecular cloning of the isoquinoline 1-oxidoreductase genes from Pseudomonas diminuta 7, structural analysis of iorA and iorB, and sequence comparisons with other molybdenum-containing hydroxylases.* J Biol Chem, 1995. 270(24): p. 14420-9.
201. Glover, C.J. and R.L. Felsted, *Identification and characterization of multiple forms of bovine brain N-myristoyltransferase.* J Biol Chem, 1995. 270(39): p. 23226-33.

202. Aizawa, H., et al., *Identification, characterization, and intracellular distribution of cofilin in Dictyostelium discoideum*. J Biol Chem, 1995. 270(18): p. 10923-32.

Asia Pacific Tel: +852 2811 8693 Fax: +852 2811 5251 Australasia Tel: +61 2 9899 0999 Fax: +61 2 9899 7511 Austria Tel: 01 576 0616 20 Fax: 01 576 0616 27 Belgium Tel: 0800 73 888 Fax: 03 272 1637 Canada Tel: 1 800 463 5800 Fax: 1 800 567 1008 Central, East, South East Europe Tel: +43 1 982 3826 Fax: +43 1 985 8327 Denmark Tel: 45 16 2400 Fax: 45 16 2424 Finland & Baltics Tel: +358 (0)9 512 3940 Fax: +358 (0)9 512 1710 France Tel: 0169 35 67 00 Fax: 0169 41 9677 Germany Tel: 0761 4903 401 Fax: 0761 4903 405 Italy Tel: 02 27322 1 Fax: 02 27302 212 Japan Tel: 81 3 5331 9336 Fax: 81 3 5331 9370 Latin America Tel: +55 11 3667 5700 Fax: +55 11 3667 87 99 Middle East and Africa Tel: +30 (1) 96 00 687 Fax: +30 (1) 96 00 693 Netherlands Tel: 0165 580 410 Fax: 0165 580 401 Norway Tel: 2318 5800 Fax: 2318 6800 Portugal Tel: 21 417 7035 Fax: 21 417 3184 Russian & other C.I.S. & N.I.S. Tel: +7 (095) 232 0250,956 1137 Fax: +7 (095) 230 6377 South East Asia Tel: 60 3 8024 2090 Fax: 60 3 8024 2090 Spain Tel: 93 594 49 50 Fax: 93 594 49 55 Sweden Tel: 018 612 19 00 Fax: 018 612 19 10 Switzerland Tel: 01 802 81 50 Fax: 01 802 81 51 UK Tel: 0800 616 928 Fax: 0800 616 927 USA Tel: +1 800 526 3593 Fax: +1 877 295 8102

HiLoad, Superdex and Drop Design are trademarks of Amersham Biosciences Limited. Amersham and Amersham Biosciences are trademarks of Amersham plc. All goods and services are sold subject to the terms and conditions of sale of the company within the Amersham Biosciences group that supplies them. A copy of these terms and conditions is available on request. Amersham Biosciences UK Limited, Amersham Place, Little Chalfont, Buckinghamshire HP7 9NA, England. Amersham Biosciences AB, Björkgatan 30, SE-751 84 Uppsala, Sweden. Amersham Biosciences Corp., 800 Centennial Avenue, PO Box 1327, Piscataway NJ 08855, USA. Amersham Biosciences Europe GmbH, Munzinger Strasse 9, D-79111 Freiburg, Germany. Amersham Biosciences K.K., Sanken Bldg. 3-25-1, Hyakunincho Shinjuku-ku, Tokyo 169-0073, Japan.

© Amersham Biosciences AB 2002 – All rights reserved.



Amersham  
Biosciences